



4.14.5	Cords on Toy Bags intended for Children up to 18 months	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.15	Stability and Over-load requirement				
4.15.1	Stability of ride-on toys and toy seats	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.15.2	Sideway stability requirements (60 months of age or less) 4.15.2.1 Feet available for stabilization (Yes / No) 4.15.2.2 Feet unavailable for stabilization (Yes / No)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.15.3	Fore and aft stability (60 months of age or less)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.15.4	Stationary floor toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.15.5	Overload requirements for ride on toys and toy seats	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.15.6	Dynamic Strength Test for Wheeled Ride-on Toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.16	Confined spaces				
4.16.1	Ventilation	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.16.2	Closures (Opening force ≤ 10 lb)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.16.3	Toys that enclose the head	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.17	Wheels, tires, and axles (aged 96 months or less)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.18	Holes, clearance, and accessibility of mechanisms				
4.18.1	Accessible clearances for moveable segments (under 96 months of age)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.18.2	Circular holes in rigid materials (aged 60 months or less)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.18.3	Chains and belts				
	4.18.3.1 Supporting chains (36 months or less in age)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	4.18.3.2 Chains for belts for ride on toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.18.4	Inaccessibility of mechanisms (aged 60 months or less)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.18.5	Winding keys (under 36 months of age)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.18.6	Coil springs	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.19	Simulated protective devices				
4.19.1	Eye protection	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.19.2	Simulated safety protective devices – label	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.20	Pacifiers (under 36 months of age)				
4.20.2	Small objects	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.20.2	Nipple length: _____ (If > 16mm shall comply to 16 CFR 1511)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.



4.21.1	All Projectile toys				
4.21.1.1	Projectile with rigid leading edges	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.1.2	Projectiles with a foam shaft and a suction cup	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.1.3	Other projectile with suction cup	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.2.1	Small parts	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.2.2	Kinetic energy	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.2.3	Kinetic energy Density	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.2.4	Resilient Leading Edges	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.2.5	Projectiles sharp point and sharp edges	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.2.6	Discharge mechanisms and improvised projectiles	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.3	Projectiles toys without stored energy				
4.21.3.1	Mouth actuated projectile toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.3.2	Projectiles sharp point and sharp edges	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.3.3	Arrow	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.3.4	Projectiles in the form of an arrow	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.21.4	Rotors	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.22	Teethers and teething toys				
4.22.1	Rattle fixture	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.22.2	Supplemental fixture	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.23	Rattles				
4.23	16 CFR 1510 requirement and rattle fixture	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.23.1	Supplemental fixture	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.24	Squeeze toys (under age of 18 months)				
4.24.1	16 CFR 1510 dimensional requirements	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.24.2	Squeeze toys incorporating nearly spherical, hemispherical, or circular flared ends	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25	Battery operated toys				
4.25.1	Marking of battery compartment	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.1.1	Toys containing non-replaceable batteries	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.2	The maximum direct current potential	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.



4.25.3	Unable to charge non-rechargeable batteries	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.4	Accessibility of batteries (under 3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.5	Accessibility of batteries – small parts	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.6	Isolated circuits	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.7	Surface temperature of batteries (less than 71 °C)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.8	Temperature requirement or combustion hazard	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.8.1	Rechargeable lithium ion or lithium ion polymer batteries	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.9	Instructions on safe battery usage	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10	For Battery operated toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.1	Maximum temperature measured on the insulation	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.2	Risk of fire (battery powered ride on toys)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.3	Wiring system of battery powered ride on toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.4	Switches	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.5	Circuit protection device	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.6	Battery and battery charges	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.7	Short-circuit protected	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.8	Strain relief	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.10.9	Battery-powered ride-on toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11	Toys contain secondary cells or secondary batteries				
4.25.11.1	Cells used in lithium ion or lithium ion batteries	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11.2	Lithium ion or lithium ion polymer batteries	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11.3	Batteries contains lithium ion or lithium ion polymer cells shall provide enclosures	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11.4	Charging voltage of the battery	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11.4.1	For batteries charged outside of the toy	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11.5	Maximum discharge current	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11.6	Normal use charging and discharging of a secondary battery	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11.7	Battery charges or power adapters plug into the electric main power	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.25.11.8	Circuit wiring connected to lithium or lithium ion polymer and NiMH secondary batteries	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.26	Toys intended to be attached to a crib or playpen				

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.



4.26.1	Protrusions	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.26.2	Crib mobile	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.26.3	Crib gyms	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.27	Stuffed and beanbag type toys (Tension Test on Seams)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.28	Stroller and carriage toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.29	Art materials	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.30	Toy gun marking	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.31	Balloons – safety labeling	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.32	Certain toys with nearly spherical ends				
4.32.1	Nearly spherical, hemispherical, circular flared, or dome-shaped ends of toys or components (up to the age of 18 months, for < 500g only)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.32.2	Nearly spherical, hemispherical, circular flared, or dome-shaped ends of toys or components (for 18 months to 48 months, for length \geq 2.25in, diameter \geq 0.6in, weight < 500g only)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.32.3	Preschool play figures (under 3 years of age)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.33	Marbles				
4.33.1	Toys and games contain marble (at least 3 but less than 8 years of age)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4.34	Balls				
4.34.1	Balls/loose ball in toys for children under 36 months of age	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.34.2	Toys contain loose small ball (at least 3 but less than 8 years of age)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.35	Pompoms (under 3 years of age)				
4.36	Hemispherical shaped objects (under 3 years of age)				
4.36.6a	Have at least 2 openings: YES/NO	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.36.6b	Interrupted at center: YES/NO	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.36.6c	Have 3 openings: YES/NO	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.36.6d	Scalloped edge: YES/NO	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.36.6e	Opening at base or sidewall: YES/NO	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.37	Yo-Yo elastic tether toys (3 years and older)				
4.37.1	Toys with an end mass greater than 0.02 kg (0.044 lb.)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.38	Magnets (up to 14 years)				
4.38.1	Loose as-received hazardous magnet or magnetic component	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.



4.38.2	Liberation of hazardous magnet or magnetic component	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.38.3	Magnetic/electrical experimental sets for ages 8 and up containing loose as-received hazardous magnet or as-received loosed magnetic component	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.39	<i>Jaw Entrapment in Handles and Steering Wheels (under age of 18 months)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.40	<i>Expending material</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.41	Toy chests				
4.41.1.4	Lid support	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.41.2	Hinge line clearance	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.41.3	Closures	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.41.4.1	Ventilation	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.41.5	Toy chest instructional literature and producer's markings	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5	<u>LABELING REQUIREMENTS</u>				
5.3.4	Safety labeling shall be displayed on the principle display panel	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.4	<i>Aquatic toys</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.5	Crib and playpen toys				
5.5.1	Age grading	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.5.2	Safety labeling	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.6	Mobile				
5.6.1	Age grading	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.6.2	Safety labeling	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.7	<i>Stroller and carriage toys</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.8	<i>Toys intended to be assembled by an adult</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.9	<i>Simulated protective devices</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.10	<i>Toys with functional sharp edges or points</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.11	<i>Small objects, small balls, marbles, and balloons</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.11.1.3	Warning type size	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.11.2	Small Parts as-received Warning Label 3yrs-6yrs	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.11.3	Small Ball Warning 3yrs +	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.11.3.1	Any toy or game intended for 3yrs-8yrs contains a small ball	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.



5.11.4	Marbles for 3yrs +	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.11.4.1	Any toy or game intended for 3yrs-8yrs contains a marble	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.11.5	Latex Balloons	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.12	<i>Toy caps</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.13	<i>Art materials</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.14	<i>Electric toys</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.15	Battery operated toys				
5.15.1	Battery powered ride on toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.15.2	Replaceable button or coin cell batteries	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.16	<i>Promotional materials</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.17	<i>Magnets</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6	<u>INSTRUCTIONAL LITERATURE</u>				
6.1	Definition and Description	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.2	Crib and playpen toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6.3	Mobiles	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6.4	Toys intended to be assembled by an adult	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6.5	Battery operated toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6.6	Battery powered ride on toys	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6.7	Toys in contact with food	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6.8	Toy chests	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7	<u>PRODUCER'S MARKING</u>				
7.1	<i>Name YES</i> <i>Address YES</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.2	<i>Battery powered ride on toys</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7.3	Toy chest				
7.3.1	Name YES/NO Address YES/NO	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7.3.2	Code mark or other mark	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7.3.3	Model number (if significant structural design or material modification changes)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.

Item 2: Results for Flammability testing according to ASTM F963-16 Sec. 4.2 & Annex A5 are listed below

ASTM F963-16 Section 4.2 & Annex A5: Flammability of Solids					
Sample	Ignition Point	Burn Length (in)	Burn Time (sec)	Burn Rate (in/sec)	Pass / Fail
1	Pomp om - strip	.60	60.0	0.01	Pass

DNI = Did not ignite

in = Inches

sec = Seconds

IBSE = Ignited but self extinguished

Item 3: Results for testing according to ASTM F 963 Section 4.3.5 Eight Heavy Elements (metals) per CPSIA Section 106 are listed below

ASTM F 963 Section 4.3.5 - Eight Heavy Elements (metals) per CPSIA Section 106								
Analyte	Lead (Pb)	Cadmium (Cd)	Antimony (Sb)	Arsenic (As)	Barium (Ba)	Chromium (Cr)	Mercury (Hg)	Selenium (Se)
Limit (mg/kg)	90	75	60	25	1000	60	60	500
Sample No.	Results (mg/kg)							
1	BDL	BDL	BDL	BDL	145.0	BDL	BDL	BDL
2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4	BDL	BDL	BDL	BDL	202.0	BDL	BDL	BDL
5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
6	BDL	BDL	1.161	BDL	103.0	BDL	BDL	BDL

BDL = Below Detectable Limit = <1.0ppm

ppm = parts per million = mg/kg = milligrams per kilogram

Item 4: Results for Total Lead in Substrates testing according to CPSIA Section 101 are listed below

CPSIA Section 101: Total Lead in Substrates		
Analyte	Lead (Pb)	
Substrate Limit (mg/kg)	100	
Sample No.	Sample Type	Results (mg/kg)
1	Substrate	BDL
2	Substrate	BDL
3	Substrate	BDL
4	Substrate	BDL
5	Substrate	BDL
6	Substrate	BDL

BDL = <1.0ppm

ppm = parts per million = mg/kg = milligrams per kilogram

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.



Item 5: Results for Total Lead in Coatings testing according to CPSIA 16 CFR 1303 are listed below

CPSIA 16 CFR 1303: Total Lead in Coatings		
Analyte	Lead (Pb)	
Coating Limit (mg/kg)	90	
Sample No.	Sample Type	Results (mg/kg)
1	Coating	BDL
2	Coating	BDL
3	Coating	BDL
4	Coating	BDL
5	Coating	BDL
6	Coating	BDL

BDL = <1.0ppm

ppm = parts per million = mg/kg = milligrams per kilogram

Item 6: Results for Phthalate testing according to CPSIA Section 108 are listed below

According to the Consumer Product Safety Improvement Act of 2008, the presence of three phthalates, DBP, BBP, and DINP, above 0.1% is prohibited in children's toys. Also, seven additional phthalates, DnOP, DINP, and DIDP, DIBP, DPENP, DHEXP, DCHP, are prohibited at a concentration of more than 1000 ppm in child care articles or toys that can be placed in a child's mouth or brought to the mouth. The 1000 ppm limit for the ten banned phthalates applies to each individual phthalate, not the total amount of these phthalates in the product.

CPSIA Section 108: Phthalates										
Phthalate	DEHP	DBP	BBP	DINP	DIDP	DIBP	DPENP	DHEXP	DCHP	DnOP
Limit (mg/kg)	1K	1K	1K	1K	1K	1K	1K	1K	1K	1K
Sample No.	Results (mg/kg)									
1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

ND = <100 mg/kg

ppm = parts per million = mg/kg = milligrams per kilogram

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.



Item 7: Results for Phthalate testing according to Washington / Maine are listed below

Washington / Maine: Phthalate	
Phthalate	DEP
Limit (mg/kg)	1K
Sample No.	Results (mg/kg)
1	ND
2	ND
3	ND
4	ND
5	ND
6	ND

ND = <100 mg/kg for phthalates

ND = < 5 mg/kg for BPA

ppm = parts per million = mg/kg = milligrams per kilogram

Item 8: Results for Lead and Cadmium testing according to California Prop. 65 are listed below

California Prop. 65: Total Lead and Cadmium		
Analyte	Lead (Pb)	Cadmium (Cd)
Sample No.	Results (mg/kg)	
1	BDL	BDL
2	BDL	BDL
3	BDL	BDL
4	BDL	BDL
5	BDL	BDL
6	BDL	BDL

BDL = <1.0ppm

ppm = parts per million = mg/kg = milligrams per kilogram

This data is for informational purposes only.

Item 9: Results for Phthalate testing according to California Proposition 65 are listed below

California Prop. 65: Phthalates							
Phthalate	DEHP	DBP	BBP	DINP	DIDP	DnHP	BPA
Sample No.	Results (mg/kg)						
1	ND	ND	ND	ND	ND	ND	ND
2	ND	ND	ND	ND	ND	ND	ND
3	ND	ND	ND	ND	ND	ND	ND
4	ND	ND	ND	ND	ND	ND	ND
5	ND	ND	ND	ND	ND	ND	ND
6	ND	ND	ND	ND	ND	ND	ND

ND = <100 mg/kg for phthalates

ND = < 5 mg/kg for BPA

ppm = parts per million = mg/kg = milligrams per kilogram

This data is for informational purposes only.

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.

SAMPLE PHOTOS:

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.

AM Testing & Services

1405 Centre Circle Drive • Downers Grove, IL 60515 • Telephone: 708-907-5252 • AMTestinginc.com

Page 14 of 15

Revision 1 Date: 09/26/2018



***** END OF REPORT *****

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.

AM Testing & Services

1405 Centre Circle Drive • Downers Grove, IL 60515 • Telephone: 708-907-5252 • AMTestinginc.com

Page 15 of 15

Revision 1 Date: 09/26/2018